

# Wenlock Collection

OF STOCK FACING BRICKS



COLOUR, CHARACTER, TEXTURE, FLEXIBILITY,  
AVAILABILITY, INNOVATION. BUT ABOVE ALL QUALITY.

# Wenlock Collection

OF STOCK FACING BRICKS



SIENNA RED



CADMIUM RED FLECKED



CADMIUM RED BRINDLE FLECKED



OAKEN MULTI




COTSWOLD



SIENNA RED BRINDLE



WHEATFIELD FLECKED



CADMIUM RED BRINDLE



CORAL RED

## BLOCKLEYS' WENLOCK COLLECTION

CRAFTSMANSHIP AND CHARACTER. DURABILITY AND APPEARANCE. IT'S THIS UNIQUE BLEND OF QUALITIES THAT MAKES BLOCKLEYS' WENLOCK COLLECTION OF STOCK FACING BRICKS SO VERY REMARKABLE.

WENLOCK FACING BRICKS ARE PRODUCED AUTOMATICALLY IN A SOPHISTICATED MANUFACTURING PLANT IN TELFORD, SHROPSHIRE THAT EXACTLY SIMULATES THE HAND THROWING PROCESSES ASSOCIATED WITH HISTORICAL PRODUCTION TECHNIQUES. THE RESULT IS A RANGE OF BRICKS THAT ARE TRADITIONALLY AESTHETIC IN APPEARANCE BUT WHICH HAVE EXCELLENT INHERENT TECHNICAL QUALITIES.

THE REMARKABLE ETRURIA MARL CLAY FOUND IN TELFORD IS THE REASON FOR THE OUTSTANDING PERFORMANCE CHARACTERISTICS OF DURABILITY, FROST RESISTANCE AND 'NIL' EFFLORESCENCE.

THE FULLY COMPUTERIZED PRODUCTION PLANT FOR THE WENLOCK COLLECTION OF STOCK FACING BRICKS CAN MANUFACTURE UP TO 12,000 BRICKS PER HOUR. THIS ENSURES THAT DELIVERIES CAN BE ARRANGED IN WEEKS RATHER THAN MONTHS AND THAT PRICES ARE VERY COMPETITIVE TOO. ALL PRODUCTS IN THE WENLOCK COLLECTION ARE MADE TO ORDER AND ARE SUBJECT – BY NEGOTIATION – TO A MINIMUM ORDER QUANTITY.

A FULL RANGE OF BRITISH STANDARD AND NON-STANDARD SPECIAL SHAPED BRICKS IS ALSO AVAILABLE. THE BRICKS ARE ALSO PERFECTLY COMPLEMENTED BY BLOCKLEYS NIBBED, CHAMFERED WIRECUT CLAY PAVIORS AND STOCK PAVIORS.

FULL DETAILS ON ALL BLOCKLEYS PRODUCTS, LITERATURE AND SAMPLES ARE AVAILABLE ON REQUEST.



BS 3921

# Wenlock Collection

## OF STOCK FACING BRICKS



- **TOTALLY FROST RESISTANT**
- **NIL EFFLORESCENCE**
- **EXCELLENT WITHIN BATCH TOLERANCES**
- **LIFETIME PERFORMANCE ASSURED**

### Technical Data


Work Size:	215 x 102.5 x 65mm
Texture:	Mellow Grain
Compressive Strength:	Greater than 25 N/mm <sup>2</sup>
Water Absorption:	Less than 14%
Durability Designation:	FL
Liability to Efflorescence:	Nil
Suction Rate:	Less than 1.5 kg/m <sup>2</sup> /min
Gross Dry Density:	Greater than 1850 kg/m <sup>3</sup>

Where appropriate the above information is determined in accordance with the requirements of BS 3921:1985.

*Information in this leaflet is provided for guidance only. Due to the limitations of photography and printing, the colours and textures illustrated are for use as a guide only. Actual samples are available on request.*

*Blockleys Brick Ltd. reserves the right to amend specifications and prices at any time without prior notice, in the pursuit of continuous product development.*

Blockleys Brick Limited is part of the Michelmersh Group of Companies



### **BLOCKLEYS BRICK LIMITED**

Sommerfeld Road, Trench Lock,  
Telford, Shropshire TF1 5RY

Telephone: 01952 251933

Fax: 01952 265377

Email: [sales@blockleys.com](mailto:sales@blockleys.com)

Website: [www.blockleys.com](http://www.blockleys.com)